



600 X 300 MM
DIGITAL WALL TILES

MATT SERIES

sight of

peace

OUR DESIGNS ARE SPECIALIZED TO INVOKE AN ATMOSPHERE OF SERENITY WHEREVER YOU CHOOSE OUR TILES TO BE. YOUR VISION OF A CALM AND TRANQUIL ABODE FULL OF VISUAL WONDER IS NOW POSSIBLE. WITNESS THE DIFFERENCE ONCE YOU LET OUR CREATIONS STEP INSIDE YOUR SPACE.

Size
600x300mm






3237-L



3237-HL



3237-D



F-3237





3238-L



3238-HL



3238-D



F-3238





3239-L



3239-HL



3239-D



F-3239





3240-L



3240-HL



3240-D



F-3240







3241-L



3241-HL




3241-D



F-3241






3242-L



3242-HL



3242-D



F-3242





3243-L



3243-HL



3243-D



F-3243





3244-L



3244-HL



3244-D



F-3244







3245-L



3245-HL




3245-D




F-3245





3246-L



3246-HL



3246-D



F-3246





3247-L




3247-HL



3247-D




F-3247





3248-L



3248-HL




3248-D



F-3248






3249-L



3249-HL




3249-D



F-3249





3250-L



3250-HL




3250-D



F-3250





3251-L



3251-HL



3251-D




F-3251



**Le sac
en papier merci**


Ce sac est fabriqué
à partir de papier recyclé
100 % naturel.
Double épaisseur 180g
kraft blanc doublé
de kraft brun.
Contenance : 33 litres
100 % Ecographik
Ne le jetez pas.
Il vous servira plus.




3252-L



3252-HL



3252-D



F-3252







3253-L



3253-HL



3253-D



F-3253





3254-L



3254-HL



3254-D




F-3254







3255-L



3255-HL



3255-D



F-3255





3256-L



3256-HL



3256-D



F-3256





3257-L



3257-HL



3257-D



F-3257





3258-L



3258-HL



3258-D



F-3258





3259-L



3259-HL




3259-D



F-3259





3260-L



3260-HL




3260-D



F-3260






3261-L



3261-HL



3261-D



F-3261







3262-L



3262-HL




3262-D



F-3262






3263-L



3263-HL-1




3263-D



F-3263






3263-L



3263-HL-2




3263-D



F-3263






3263-L



3263-HL-3



3263-D



F-3263





3264-L



3264-HL




3264-D




F-3264





3265-L



3265-HL




3265-D



F-3265






3266-L



3266-HL



3266-D



F-3266





3267-L



3267-HL



3267-D




F-3267





3268-L



3268-HL



F-3268






3269-L



3269-HL



3269-D



F-3269





3270-L



3270-HL




3270-D



F-3270







3271-L



3271-HL



3271-D




F-3271



3272-L



3272-HL




3272-D



F-3272





3273-L



3273-HL




3273-D



F-3273





3274-L



3274-HL




3274-D




F-3274






3275-L



3275-HL



3275-D



F-3275





3276-L



3276-HL



F-3276





3277-D



3277-HL




F-3277





3278-L



3278-HL




3278-D



F-3278





3279-L



3279-HL-1




3279-D



F-3279





3279-L



3279-HL-2



3279-D



F-3279





3280-L



3280-HL



3280-D



F-3280






3281-L



3281-HL



3281-D



F-3281





3282-L



3282-HL-1



3282-HL-2



3282-D





3283-L



3283-HL



3283-D



F-3283







3284-L



3284-HL



3284-D



F-3284



3285-L

3285-HL

3285-D

F-3285





3286-L



3286-HL



3286-D




F-3286





3287-L



3287-HL



3287-D



F-3287





3288-L



3288-HL




3288-D



F-3288





3289-L



3289-HL




3289-D



F-3289







3290-L



3290-HL



3290-D



F-3290






3291-L



3291-HL




3291-D



F-3291






3292-L



3292-HL



3292-D



F-3292





3293-L



3293-HL



3293-D



F-3293





3294-L



3294-HL




3294-D



F-3294





3295-L



3295-HL




3295-D



F-3295





3296-L



3296-HL



3296-D



F-3296







3297-L



3297-HL




3297-D



F-3297







3298-L



3298-HL



3298-D



F-3298





3299-L



3299-HL



3299-D



F-3299





3300-L



3300-HL



F-3300





3301-L



3301-HL



3301-D



F-3301





3302-D



3302-HL



F-3302





3303-L



3303-HL-1



3303-D



F-3303





3303-L



3303-HL-2




3303-D



F-3303






3304-L



3304-HL




3304-D



F-3304






3305-L



3305-HL




3305-D




F-3305






3306-L



3306-HL




3306-D




F-3306






3307-L



3307-HL




3307-D



F-3307






3308-L



3308-HL




3308-D



F-3308






3309-L



3309-HL



3309-D



F-3309





3310-L



3310-HL




3310-D




F-3310







3311-L



3311-HL









3311-D



F-3311



TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 159/IS 13753	COMPANY VALUE
Dimension & Surface Quality		
 Deviation in length & width	± 0.5%	± 0.4%
 Deviation in Thickness	± 0.6 mm	± 0.5 mm
Straightness of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
 Surface flatness	± 0.5%	± 0.5%
 Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
 Crazeing	1 Cycle	No Crazeing at 4 Cycle
Thermal Properties		
 Thermal expansion	Max - 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, expect Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Approx	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81Sq. Mtr.